

**Web**Results 1 - 10 of about 6,570,000 for **profile application interface**. (0.86 seconds)**DoDIIS Profile, Appendix A**The Data Stream **Interface** converts parameters passed from a program into the bit... It can be thought of as a mediator between the user and the **application** ...www.fas.org/irp/program/core/dodiis/app-a.html - 6k - [Cached](#) - [Similar pages](#)**Wireless Net DesignLine | Make the right choices when building ...**... security, and **application interface** layers, developers can license the entire... Developers can design private **application profiles** to create a closed ...www.wirelessnetdesignline.com/howto/networking/163100122 - [Similar pages](#)**Wireless Net DesignLine | Make the right choices when building ...**Developers can design private **application profiles** to create a closed "ecosystem" of... ZigBee defines an abstract **interface** while platform vendors provide ...www.wirelessnetdesignline.com/showArticle.jhtml?printableArticle=true&articleId=163100122 -[Similar pages](#)**IDN Forums - Web application interface - direction needed**I'm writing an **interface** from our web **application** to quickbooks for the purpose of... Posted - 04/22/2005 : 13:56:14 Show **Profile** Visit keystoneauto's ...idnforums.intuit.com/topic.asp?whichpage=-1&TOPIC_ID=3944&REPLY_ID=10031 - 42k -[Cached](#) - [Similar pages](#)**J2ME Documentation****Personal Basis Profile** also includes support for the xlet **interface** and all of... Security and Trust Services for J2ME (SATSA) provides J2ME **applications** ...java.sun.com/j2me/docs/ - 29k - [Cached](#) - [Similar pages](#)**[PDF] Applications for Mobile Information Devices**File Format: PDF/Adobe Acrobat - [View as HTML](#)this area of the **application** human **interface**. The MID **Profile** makes use of four types of screens: List, Alert, Text Box and Form. ...java.sun.com/products/midp/midpwp.pdf - [Similar pages](#)**[PDF] Interface Express**File Format: PDF/Adobe Acrobat - [View as HTML](#)Use the **Interface Express** toolkit to generate **application** specific source code::- **Profile** based **interface** adaption services are modular ...www.mezoe.com/downloads/InterfaceExpress.pdf - [Similar pages](#)**Bringing Design to Software Profile 4 - Macintosh **Interface** Guidelines****Profile 4. Macintosh Human **Interface** Guidelines** ... As Liddle describes in Chapter 2, the designers of new GUI **applications** had to break loose from the ...hci.stanford.edu/bds/4p-guidelines.html - 9k - [Cached](#) - [Similar pages](#)**Moving your **profile** folder - MozillaZine Knowledge Base**Next, edit the "prefs.js" file to reflect the new **profile** folder location ...steps to migrate successfully but the **application's interface** (such as toolbar ...kb.mozilla.org/Thunderbird_FAQs_Changing_Profile_Folder_Location - 18k - Jun 4, 2005 -[Cached](#) - [Similar pages](#)

patterns & practices: Code

NET applications. The block provides a simple **interface** to DPAPI, ... The User Interface Process Application Block provides a simple yet extensible ...

www.microsoft.com/resources/practices/code.mspx - 24k - Jun 4, 2005 - [Cached](#) - [Similar pages](#)

Gooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: [emails](#) - [files](#) - [chats](#) - [web history](#) - [media](#) - [PDF](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

 [Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide



 [Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [profile application interface](#)

Found 52,718 of 155,867

Sort results by Save results to a Binder
 Display results Search Tips
 Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale 

1 [Visualization with UML: Towards modeling context-sensitive interactive applications: the context-sensitive user interface profile \(CUP\)](#)

Jan Van den Bergh, Karin Coninx

May 2005 **Proceedings of the 2005 ACM symposium on Software visualization**

Full text available:  [pdf\(196.60 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The construction of software systems is becoming increasingly complex because of the changing environments the software is supposed to function in. Taking into account the context of use, how the system reacts and anticipates changes in its working environment, is important for a wide range of applications, such as mobile services for example, Model-driven design is already widely accepted as a software engineering methodology to cope with these new type of requirements. This approach is known b ...

Keywords: UML 2.0, UML profile, abstract user interfaces, context, context-sensitive interactive applications

2 [Technical papers: Design of customized web applications with OntoWeaver](#)

Yuangulei, Enrico Motta, John Domingue

October 2003 **Proceedings of the international conference on Knowledge capture**

Full text available:  [pdf\(348.09 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

OntoWeaver is our conceptual modelling methodology and a tool that support the specification and implementation of customized web applications. It relies on a number of different types of ontologies to declaratively describe all aspects of a web application. This paper focuses on the OntoWeaver customization framework, which exploits a user model, a customization rule model, and a declarative site model, to enable the design and development of customized web applications at a conceptual level. O ...

Keywords: customization modelling, web site design, web site modelling

3 [Integration and applications of the TAU performance system in parallel Java environments](#)

Sameer Shende, Allen D. Malony

June 2001 **Proceedings of the 2001 joint ACM-ISCOPE conference on Java Grande**

Full text available:  [pdf\(2.17 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

terms

Parallel Java environments present challenging problems for performance tools because of Java's rich language system and its multi-level execution platform combined with the integration of native-code application libraries and parallel runtime software. In addition to the desire to provide robust performance measurement and analysis capabilities for the Java language itself, the coupling of different software execution contexts under a uniform performance model needs careful consideration of ...

4 Combining RDF and XML schemas to enhance interoperability between metadata application profiles

Jane Hunter, Carl Lagoze

April 2001 **Proceedings of the 10th international conference on World Wide Web**

Full text available:  pdf(525.04 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: RDF, XML, XSLT, interoperability, metadata, schema

5 Designing personalized web applications

Gustavo Rossi, Daniel Schwabe, Robson Guimarães

April 2001 **Proceedings of the 10th international conference on World Wide Web**

Full text available:  pdf(608.96 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 Experiences with network-based user agents for mobile applications

Thomas F. La Porta, Thomas Woo, Krishan K. Sabnani, Ramachandran Ramjee

August 1998 **Mobile Networks and Applications**, Volume 3 Issue 2

Full text available:  pdf(631.57 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Wireless networks are characterized by simple end devices and limited bandwidth. One solution to address these and other limitations of the wireless mobile environment that has been widely pursued is the placement of proxies, or agents, inside the network to assist with application processing that would normally take place on end devices. These agents can additionally manipulate data to reduce bandwidth requirements and assist in providing services. The design and implementation of a user a ...

7 Web usability: The bull's-eye: a framework for web application user interface design guidelines

Betsy Beier, Misha W. Vaughan

April 2003 **Proceedings of the SIGCHI conference on Human factors in computing systems**

Full text available:  pdf(959.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A multi-leveled framework for user interface design guidelines of Web applications is presented. User interface design guidelines tend to provide information that is either too general, so that it is difficult to apply to a specific case, or too specific, so that a wide range of products is not supported. The framework presented is unique in that it provides a bridge between the two extremes. It has been dubbed the 'Bull's-Eye' due to its five layers, represented as concentric circles. The cente ...

Keywords: corporate style guides, enterprise style guides, standards, user interface guidelines, web applications

8 Accepted Posters: An emotional interface for a music gathering application

Albert van Breemen, Christoph Bartneck

January 2003 **Proceedings of the 8th international conference on Intelligent user interfaces**Full text available:  pdf(265.13 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Listening to music while travelling is a pleasant activity. The latest MP3 players demonstrate that storage and management of music will not be a problem in the near future. Besides listening to music the user might also want to gather new music from the Internet. We propose a music gathering application that helps the user to collect music and that is able to proactively search and download music based on the users music preferences. Furthermore, we developed an emotional interface character th ...

Keywords: agent, character, emotions, music**9 Portable profiling and tracing for parallel, scientific applications using C++**

Sameer Shende, Allen D. Malony, Janice Cuny, Peter Beckman, Steve Karmesin, Kathleen Lindlan

August 1998 **Proceedings of the SIGMETRICS symposium on Parallel and distributed tools**Full text available:  pdf(1.92 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**Keywords:** C++, performance, profiling, tracing**10 DON: user interface presentation design assistant**

Won Chul Kim, James D. Foley

August 1990 **Proceedings of the 3rd annual ACM SIGGRAPH symposium on User interface software and technology**Full text available:  pdf(1.33 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**11 Space & Time Partitioning with ARINC 653 and pragma profile**

Joyce L. Tokar

September 2003 **ACM SIGAda Ada Letters , Proceedings of the 12th international workshop on Real-time Ada**, Volume XXIII Issue 4Full text available:  pdf(175.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

The development of embedded applications is entering into a new domain with the availability of new high-speed processors and low cost on-chip memory. As the result of these new developments in hardware, there is an interest in enabling multiple applications to share a single processor and memory. To facilitate such a model the execution time and memory space of each application must be protected from other applications in the system. The ARINC Specification 653[1] provides the definition of an A ...

12 Legal, social, theoretical and fundamental aspects: Designing user interfaces for severely handicapped persons

João Brisson Lopes

May 2001 **Proceedings of the 2001 EC/NSF workshop on Universal accessibility of ubiquitous computing: providing for the elderly**Full text available:  pdf(1.61 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper addresses the many factors involved in the design of user interfaces for elderly persons and persons with severe disabilities. Interface design must take into consideration new user requirements on top of the requirements of normal users and consider the wider range of user model parameters that must be accommodated to provide adaptation to the user. The paper stresses the great diversity of user needs and questions how such user needs can be met. An example from the ongoing INTERCOMUN ...

Keywords: accessibility, disability, disabled persons, elderly persons, interface design, special user interfaces, user adaptation

13 Ravenscar-Java: a high integrity profile for real-time Java

Jagun Kwon, Andy Wellings, Steve King

November 2002 **Proceedings of the 2002 joint ACM-ISCOPE conference on Java Grande**

Full text available:  [pdf\(175.79 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

For many, Java is the antithesis of a high integrity programming language. Its combination of object-oriented programming features, its automatic garbage collection, and its poor support for real-time multi-threading are all seen as particular impediments. The Real-Time Specification for Java has introduced many new features that help in the real-time domain. However, the expressive power of these features means that very complex programming models can be created, necessitating complexity in the ...

Keywords: high integrity systems, profile, real-time Java

14 The army sustaining base APP: an example of standards engineering for Ada

J. T. Stevenson, D. E. Emery, J. P. Hustad, B. J. Jacobsen, M. E. Shelor, M. C. Swan
December 1992 **Proceedings of the conference on TRI-Ada '92**

Full text available:  [pdf\(825.71 KB\)](#)

Additional Information: [full citation](#), [references](#), [index terms](#)

15 System support for pervasive applications

Robert Grimm, Janet Davis, Eric Lemar, Adam Macbeth, Steven Swanson, Thomas Anderson, Brian Bershad, Gaetano Borriello, Steven Gribble, David Wetherall
November 2004 **ACM Transactions on Computer Systems (TOCS)**, Volume 22 Issue 4

Full text available:  [pdf\(1.82 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Pervasive computing provides an attractive vision for the future of computing. Computational power will be available everywhere. Mobile and stationary devices will dynamically connect and coordinate to seamlessly help people in accomplishing their tasks. For this vision to become a reality, developers must build applications that constantly adapt to a highly dynamic computing environment. To make the developers' task feasible, we present a system architecture for pervasive computing, called & ...

Keywords: Asynchronous events, checkpointing, discovery, logic/operation pattern, migration, one.world, pervasive computing, structured I/O, tuples, ubiquitous computing

16 Futurebus+ as an I/O bus: profile B

Barbara P. Aichinger

April 1992 **ACM SIGARCH Computer Architecture News , Proceedings of the 19th annual international symposium on Computer architecture**, Volume 20 Issue 2

Full text available:  [pdf\(639.92 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The IEEE Futurebus+ is a very fast (3GB/sec.), industry standard backplane bus specification for computer systems. Futurebus+ was designed independent of any CPU architecture so it is truly open. With this open architecture Futurebus+ can be applied to many different computing applications. Profile B is a subset of the IEEE 896 Futurebus+ standard and targets high performance, general purpose computer I/O applications. This paper describes how and why the functional, electrical, mechanical ...

17 An empirical analysis of software evolution profiles and outcomes 

Evelyn Barry, Sandra Slaughter, Chris F. Kemerer

January 1999 **Proceeding of the 20th international conference on Information Systems**

Full text available:  pdf(147.64 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

18 Improving the browsing experience: A framework for coordinated multi-modal browsing with multiple clients 

Alistair Coles, Eric Deliot, Tom Melamed, Kevin Lansard

May 2003 **Proceedings of the 12th international conference on World Wide Web**

Full text available:  pdf(111.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As users acquire or gain access to an increasingly diverse range of web access clients, web applications are adapting their user interfaces to support multiple modalities on multiple client types. User experiences can be enhanced by clients with differing capabilities combining to provide a distributed user interface to applications. Indeed, users will be frustrated if their interaction with applications is limited to one client at a time. This paper discusses the requirements for coordinating we ...

Keywords: multi-modal browsing, web proxy

19 Web-based personalization and management of interactive video 

Rune Hjelsvold, Subu Vdaygiri, Yves Léauté

April 2001 **Proceedings of the 10th international conference on World Wide Web**

Full text available:  pdf(611.20 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: J2EE, SMIL, dynamic content generation, interactive video, media asset management, micro-payment, video personalization

20 CORBA based design and implementation of universal personal computing 

Mária Törö, Thong Tri Huynh, Jinsong Zhu, Kangming Liu, Victor C. M. Leung

February 2003 **Mobile Networks and Applications**, Volume 8 Issue 1

Full text available:  pdf(288.45 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Universal personal computing (UPC) supports nomadic computing at user mobility and at terminal mobility levels in a user-friendly way. That is, a user can access computing resources anywhere on the Internet, using any available mobile or stationary terminal attached to any subnet supporting UPC services. These services are provided via agents and enable a personalized computing environment that is familiar to or customized by the user and independent of the terminal and subnet, utilizing locally ...

Keywords: CORBA, agents, internet, personalized computing environment, user mobility

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 Search Results**BROWSE****SEARCH****IEEE XPLOR GUIDE**

Results for "(profile<in>metadata) <and> (application<in>metadata) <and> (interface...)"

Your search matched 256 of 1166705 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending order**. [e-mail](#)[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(profile<in>metadata) <and> (application<in>metadata) <and> (interface<in>meta

[»](#) Check to search only within this results setDisplay Format: Citation Citation & Abstract

Select Article Information

View: **1-25** | [26-5](#)**1. A device independent XML user agent for multimedia terminals**

Honkala, M.; Cesar, P.; Vuorimaa, P.;

Multimedia Software Engineering, 2004. Proceedings. IEEE Sixth International Symposium, 13-15 Dec. 2004 Page(s):116 - 123

[AbstractPlus](#) | Full Text: [PDF\(392 KB\)](#) IEEE CNF**2. Scattering from dielectric gratings and periodic profiles characterized by an impedance boundary condition**

Michielssen, E.; Mittra, R.;

Antennas and Propagation Society International Symposium, 1991. AP-S. Digest, 24-28 June 1991 Page(s):280 - 283 vol.1

[AbstractPlus](#) | Full Text: [PDF\(156 KB\)](#) IEEE CNF**3. Development of 1-3 PZT-polymer composite for low frequency acoustical applications**

Richard, C.; Ting, R.Y.; Audoly, C.;

Applications of Ferroelectrics, 1994.ISAF '94., Proceedings of the Ninth IEEE International Conference on

7-10 Aug. 1994 Page(s):291 - 294

[AbstractPlus](#) | Full Text: [PDF\(356 KB\)](#) IEEE CNF**4. An overview of a MPI profiling environment for the NEC Cenju-3**

Govindan, V.; Park, Y.; Li, X.; Crear, S.; Johnson, O.;

MPI Developer's Conference, 1996. Proceedings., Second

1-2 July 1996 Page(s):185 - 188

[AbstractPlus](#) | Full Text: [PDF\(364 KB\)](#) IEEE CNF**5. Basics and applications of charge pumping in submicron MOSFET's**

Groeseneken, G.; Maes, H.E.;

Microelectronics, 1997. Proceedings., 1997 21st International Conference on Volume 2, 14-17 Sept. 1997 Page(s):581 - 589 vol.2

[AbstractPlus](#) | Full Text: [PDF\(916 KB\)](#) IEEE CNF**6. CORBA component based implementation of telecom services building blocks**

Gross, J.; Wegscheider, F.; Zeiss, J.;

Enterprise Distributed Object Computing Conference, 2003. Proceedings. Seventh IEEE 16-19 Sept. 2003 Page(s):308 - 314

[AbstractPlus](#) | Full Text: [PDF\(311 KB\)](#) IEEE CNF

- **7. VISTA-the data level**
Fasching, F.; Tappa, W.; Selberherr, S.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 13, Issue 1, Jan. 1994 Page(s):72 - 81
[AbstractPlus](#) | [Full Text: PDF\(940 KB\)](#) | [IEEE JNL](#)
- **8. SAFENET: the standard and its application**
Kochanski, R.J.; Paige, J.L.;
LCS, IEEE [see also IEEE LTS]
Volume 2, Issue 1, Feb. 1991 Page(s):46 - 51
[AbstractPlus](#) | [Full Text: PDF\(608 KB\)](#) | [IEEE JNL](#)
- **9. Scattering from natural soils modeled by dielectric fractal profiles: the forward-backward approach**
Iodice, A.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 42, Issue 1, Jan. 2004 Page(s):77 - 85
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(552 KB\)](#) | [IEEE JNL](#)
- **10. Software for the next-generation automobile**
Simonds, C.;
IT Professional
Volume 5, Issue 6, Nov.-Dec. 2003 Page(s):7 - 11
[AbstractPlus](#) | [Full Text: PDF\(528 KB\)](#) | [IEEE JNL](#)
- **11. Photosensitivity and application with 157-nm F₂/laser radiation in planar liq**
Chen, K.P.; Herman, P.R.; Taylor, R.;
Lightwave Technology, Journal of
Volume 21, Issue 1, Jan. 2003 Page(s):140 - 148
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(461 KB\)](#) | [IEEE JNL](#)
- **12. Microarchitecture-level power management**
Iyer, A.; Marculescu, D.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on
Volume 10, Issue 3, June 2002 Page(s):230 - 239
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(538 KB\)](#) | [IEEE JNL](#)
- **13. TADEUS: seamless development of task-based and user-oriented interfaces**
Stary, C.;
Systems, Man and Cybernetics, Part A, IEEE Transactions on
Volume 30, Issue 5, Sept. 2000 Page(s):509 - 525
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(448 KB\)](#) | [IEEE JNL](#)
- **14. Multitarget detection/tracking for monostatic ground penetrating radar: application to profiling**
Spagnolini, U.; Rampa, V.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 37, Issue 1, Jan. 1999 Page(s):383 - 394
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1372 KB\)](#) | [IEEE JNL](#)
- **15. Effects of interdiffusion-induced strain in Ga_{0.51}In_{0.49}P-GaAs intermixed quantum wells**
Micallef, J.; Brincat, A.; Wai-Chee Shiu;
Selected Topics in Quantum Electronics, IEEE Journal of
Volume 4, Issue 4, July-Aug. 1998 Page(s):675 - 684
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(280 KB\)](#) | [IEEE JNL](#)

- **16. Development of ferroelectric materials for memory applications**
Kulkarni, A.K.; Rohrer, G.A.;
University/Government/Industry Microelectronics Symposium, 1989. Proceedings., Eig
12-14 June 1989 Page(s):150 - 155
[AbstractPlus](#) | Full Text: [PDF\(260 KB\)](#) IEEE CNF
- **17. Open systems standards: status of international harmonization and European ac**
Hartmann, U.;
Application of Standards for Open Systems, 1990., Proceedings of the 6th International
the
2-4 Oct. 1990 Page(s):18 - 26
[AbstractPlus](#) | Full Text: [PDF\(532 KB\)](#) IEEE CNF
- **18. Open system standards for applications portability**
Hankinson, A.L.;
Application of Standards for Open Systems, 1990., Proceedings of the 6th International
the
2-4 Oct. 1990 Page(s):90 - 105
[AbstractPlus](#) | Full Text: [PDF\(460 KB\)](#) IEEE CNF
- **19. A codesign case study in computer graphics**
Brage, J.P.; Madsen, J.;
Hardware/Software Codesign, 1994., Proceedings of the Third International Workshop
22-24 Sept. 1994 Page(s):132 - 139
[AbstractPlus](#) | Full Text: [PDF\(564 KB\)](#) IEEE CNF
- **20. Precise spatial and temporal measurement of gravity-capillary waves and associ**
backscatter
Onstott, R.G.; Perlin, M.; Lin, H.;
Geoscience and Remote Sensing Symposium, 1994. IGARSS '94. 'Surface and Atmos
Sensing: Technologies, Data Analysis and Interpretation', International
Volume 1, 8-12 Aug. 1994 Page(s):463 vol.1
[AbstractPlus](#) | Full Text: [PDF\(52 KB\)](#) IEEE CNF
- **21. Microwave study of the formation of brine layers on homogeneous saline ice she**
Onstott, R.G.; Madden, M.P.;
Geoscience and Remote Sensing Symposium, 1994. IGARSS '94. 'Surface and Atmos
Sensing: Technologies, Data Analysis and Interpretation', International
Volume 1, 8-12 Aug. 1994 Page(s):614 - 616 vol.1
[AbstractPlus](#) | Full Text: [PDF\(228 KB\)](#) IEEE CNF
- **22. A parallel vision subsystem for robotic inspection and manipulation**
Cucchiara, R.; Di Stefano, L.; Monacelli, M.; Piccardi, M.; Rustichelli, G.;
Industrial Electronics, Control and Instrumentation, 1994. IECON '94., 20th Internation
Volume 2, 5-9 Sept. 1994 Page(s):862 - 866 vol.2
[AbstractPlus](#) | Full Text: [PDF\(508 KB\)](#) IEEE CNF
- **23. Multi-layer detection/tracking for monostatic ground penetrating radar**
Rampa, V.; Spagnolini, U.;
Geoscience and Remote Sensing Symposium, 1996. IGARSS '96. 'Remote Sensing fo
Future.', International
Volume 4, 27-31 May 1996 Page(s):2038 - 2040 vol.4
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) IEEE CNF
- **24. Cognitive issues in interface design and product development**
Ghosal, S.;
Engineering in Medicine and Biology Society, 1995 and 14th Conference of the Biomed

Society of India. An International Meeting, Proceedings of the First Regional Conference
15-18 Feb. 1995 Page(s):1/77 - 1/78

[AbstractPlus](#) | Full Text: [PDF\(220 KB\)](#) IEEE CNF

- 25. **An instrumentation system for post-mortem visualization of distributed applications**

Walker, E.; Song Jianjian;

High Performance Computing on the Information Superhighway, 1997. HPC Asia '97
28 April-2 May 1997 Page(s):684 - 687

[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF

[REDACTED] View: [1-25](#) | [26-5](#)

[Help](#) [Contact Us](#) [Privacy & Terms](#)

© Copyright 2005 IEEE - All rights reserved.



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	365898	network	USPAT; EPO; JPO	OR	OFF	2003/10/02 15:57
S2	48787	S1 and server	USPAT; EPO; JPO	OR	OFF	2003/10/02 15:57
S3	1185	S2 and DLL	USPAT; EPO; JPO	OR	OFF	2003/10/02 15:57
S4	39	S3 and IDL	USPAT; EPO; JPO	OR	OFF	2003/10/02 15:57
S5	36	S4 and distribut\$4	USPAT; EPO; JPO	OR	OFF	2003/10/02 15:58
S6	34	S5 and model	USPAT; EPO; JPO	OR	OFF	2003/10/02 15:58
S7	34	S5 and model	USPAT; EPO; JPO	OR	ON	2003/10/02 15:58
S8	23	S7 and meta\$5	USPAT; EPO; JPO	OR	ON	2003/10/02 15:59
S9	23	S8 and application	USPAT; EPO; JPO	OR	ON	2003/10/02 15:59
S10	5	(("5201947") or ("5748962") or ("5978583") or ("6011918") or ("6044224")).PN.	USPAT; USOCR	OR	OFF	2003/10/02 17:02
S11	1	("5021947").PN.	USPAT; USOCR	OR	OFF	2003/10/02 17:02
S12	1	hunt-galen.in.	USPAT; EPO; JPO	OR	ON	2005/04/04 13:40
S13	12	hunt-galen\$.in.	USPAT; EPO; JPO	OR	ON	2003/09/09 17:18
S14	16	("3427443" "3551659" "4819233" "5579520" "5724584" "5752038" "5790858" "5806061" "5917998" "5978785" "5987247" "6023696" "6088717" "6112304" "6131095" "6134559").PN.	USPAT	OR	OFF	2003/09/09 17:19
S15	11	("3427443" "3551659" "4819233" "5021947" "5579520" "5748962" "5752038" "5790858" "5978583" "6011918" "6044224").PN.	USPAT	OR	OFF	2003/09/09 17:25
S16	17	("3427443" "3551659" "4819233" "5193180" "5535329" "5579520" "5675805" "5752038" "5790858" "5881268" "5987247" "6088717" "6088732" "6112304" "6117188" "6131095" "6134559").PN.	USPAT	OR	OFF	2003/09/09 17:30

S17	12	("3427443" "3551659" "4819233" "5193180" "5535329" "5579520" "5752038" "5790858" "5987247" "6088717" "6112304" "6134559").PN.	USPAT	OR	OFF	2003/09/09 17:32
S18	16	("3427443" "3551659" "4819233" "5193180" "5247678" "5535329" "5579520" "5675805" "5752038" "5790858" "5978583" "5987247" "6044224" "6088717" "6112304" "6134559").PN.	USPAT	OR	OFF	2003/09/09 17:33
S19	405	distribut\$5 near5 partition\$3 near5 (system or software or program)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:41
S20	103	distribut\$5 near2 partition\$3 near2 (system or software or program)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:41
S21	7	distribut\$5 near2 partition\$3 near2 (software)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:47
S22	6	wrap\$5 near5 interface near5 hash\$5	USPAT; EPO; JPO	OR	ON	2005/04/04 13:48
S23	9	wrap\$5 same interface same hash\$5	USPAT; EPO; JPO	OR	ON	2005/04/04 13:51
S24	3	S23 not S22	USPAT; EPO; JPO	OR	ON	2005/04/04 13:49
S25	55	wrapped same interface and hash near2 table	USPAT; EPO; JPO	OR	ON	2005/04/04 13:52
S26	54	wrapped same interface and (hash adj table)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:52
S27	37	wrapped near5 interface and (hash adj table)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:52
S28	36	wrapped near2 interface and (hash adj table)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:52
S29	36	wrapped near interface and (hash adj table)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:52
S30	30	wrapped near interface same distribut\$5 and (hash adj table)	USPAT; EPO; JPO	OR	ON	2005/04/04 13:54
S31	24	S26 not S30	USPAT; EPO; JPO	OR	ON	2005/04/04 14:04
S32	57	interface adj wrapper	USPAT; EPO; JPO	OR	ON	2005/04/04 14:05
S33	40	interface adj wrapper and distribut\$5	USPAT; EPO; JPO	OR	ON	2005/04/04 14:06
S34	183	interface adj interface same distribut\$5	USPAT; EPO; JPO	OR	ON	2005/04/04 14:06
S35	0	interface adj wrapper same distribut\$5	USPAT; EPO; JPO	OR	ON	2005/04/04 14:06

S36	6	interface adj wrapper same hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S37	6	interface adj wrap\$5 same hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S38	6	interface near wrap\$5 same hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S39	6	interface near2 wrap\$5 same hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S40	6	interface near5 wrap\$5 same hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S41	101	interface near5 wrap\$5 and hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S42	59	interface near2 wrap\$5 and hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S43	12	interface adj wrap\$5 and hash	USPAT; EPO; JPO	OR	ON	2005/04/04 14:07
S44	6	S43 not S40	USPAT; EPO; JPO	OR	ON	2005/04/05 10:15
S45	1	("6615303").PN.	USPAT	OR	OFF	2005/04/05 10:15

PALM INTRANET

Day : Monday
 Date: 6/6/2005
 Time: 16:02:48

Inventor Name Search Result

Your Search was:

Last Name = HUNT

First Name = GALEN

Application#	Patent#	Status	Date Filed	Title	Inventor Name 21
<u>60111788</u>	Not Issued	159	12/11/1998	HIGH-PERFORMANCE DISTRIBUTED OBJECTS OVER A SYSTEM AREA NETWORK	HUNT, GALEN C.
<u>60102815</u>	Not Issued	159	10/02/1998	AUTOMATIC PARTITIONING AND DISTRIBUTION OF APPLICATIONS	HUNT, GALEN C.
<u>11118690</u>	Not Issued	020	04/29/2005	OPERATING SYSTEM PROCESS IDENTIFICATION	HUNT, GALEN C.
<u>11112412</u>	Not Issued	020	04/22/2005	SYSTEM AND METHOD FOR RESTRICTING DATA TRANSFERS AND MANAGING SOFTWARE COMPONENTS OF DISTRIBUTED COMPUTERS	HUNT, GALEN C.
<u>11096358</u>	Not Issued	020	04/01/2005	TOOLS AND TECHNIQUES FOR INSTRUMENTING INTERFACES OF UNITS OF A SOFTWARE PROGRAM	HUNT, GALEN C.
<u>09458240</u>	Not Issued	041	12/09/1999	ACCELERATING A DISTRIBUTED COMPONENT ARCHITECTURE OVER A NETWORK USING AN IMPLICIT FLOW CONTROL	HUNT, GALEN C.
<u>09458139</u>	6826763	150	12/09/1999	ACCELERATING A DISTRIBUTED COMPONENT ARCHITECTURE OVER A NETWORK USING A DIRECT MARSHALING	HUNT, GALEN C.
<u>09458138</u>	6708223	150	12/09/1999	ACCELERATING A DISTRIBUTED COMPONENT ARCHITECTURE OVER A NETWORK USING A MODIFIED RPC COMMUNICATION	HUNT, GALEN C.
<u>09349732</u>	6546553	150	07/08/1999	SERVICE INSTALLATION ON A	HUNT, GALEN C.

				BASE FUNCTION AND PROVISION OF A PASS FUNCTION WITH A SERVICE-FREE BASE FUNCTION SEMANTIC	
<u>09334104</u>	6826760	150	06/16/1999	METHODS OF FACTORING OPERATING SYSTEM FUNCTIONS, METHODS OF CONVERTING OPERATING SYSTEMS, AND RELATED APPARATUS	HUNT, GALEN C.
<u>09334079</u>	Not Issued	161	06/16/1999	OPERATING SYSTEM APPLICATION PROGRAMMING INTERFACES AND METHODS OF USING OPERATING SYSTEMS	HUNT, GALEN C.
<u>09197246</u>	6499137	150	11/20/1998	REVERSIBLE LOAD-TIME DYNAMIC LINKING	HUNT, GALEN C.
<u>09197242</u>	6381735	150	11/20/1998	DYNAMIC CLASSIFICATION OF SECTIONS OF SOFTWARE	HUNT, GALEN C.
<u>09197226</u>	6230312	150	11/20/1998	AUTOMATIC DETECTION OF PER-UNIT LOCATION CONSTRAINTS	HUNT, GALEN C.
<u>09197211</u>	6381628	150	11/20/1998	SUMMARIZED APPLICATION PROFILING AND QUICK NETWORK PROFILING	HUNT, GALEN C.
<u>09197080</u>	Not Issued	071	11/20/1998	APPLICATION PROFILING USING STRUCTURAL METADATA DESCRIPTION FOR NETWORK-INDEPENDENT AUTOMATIC PARTITIONING AND DISTRIBUTION	HUNT, GALEN C.
<u>09197009</u>	6263491	150	11/20/1998	HEAVYWEIGHT AND LIGHTWEIGHT INSTRUMENTATION	HUNT, GALEN C.
<u>09196974</u>	6629123	150	11/20/1998	INTERCEPTION OF UNIT CREATION REQUESTS BY AN AUTOMATIC DISTRIBUTED PARTITIONING SYSTEM	HUNT, GALEN C.
<u>09196836</u>	Not Issued	061	11/20/1998	INSTRUMENTATION FOR RELATING INTERFACES AND UNITS, WRAPPING INTERFACES, HANDLING UNDOCUMENTED INTERFACES, AND DETECTING PAIR-WISE	HUNT, GALEN C.

LOCATION CONSTRAINTS				
<u>09079452</u>	6101546	150	05/14/1998	METHOD AND SYSTEM FOR PROVIDING DATA FILES THAT ARE PARTITIONED BY DELIVERY TIME AND DATA TYPE
<u>08613951</u>	Not Issued	161	03/11/1996	METHOD AND SYSTEM FOR PROVIDING DATA FILES THAT ARE PARTITIONED BY DELIVERY TIME AND DATA TYPE

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name
<input type="text" value="hunt"/>	<input type="text" value="galen"/>
<input type="button" value="Search"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4646	719/312-332.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:54
L2	1194	709/200.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:55
L3	7635	709/201-203.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:55
L4	3238	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:55
L5	1822	718/105-108.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:55
L6	412	717/101,148.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:55
L7	16770	I1 or I2 or I3 or I4 or I5 or I6	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:56
L8	929	I7 and (application or program) same compil\$5 same interface	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:57
L9	65	I8 and binary near5 interface	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:57
L10	51	I8 and binary\$5 near5 interface	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:57
L11	83	compil\$5 near5 interface near5 type	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 16:58
S1	1075	719/310,312,316.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/06/06 15:48
S2	9184	709/201-203,217-218.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/16 12:12
S3	125	719/310,312,316.ccls. and 709/201-203,217-218.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/16 12:12
S4	10134	719/310,312,316.ccls. or 709/201-203,217-218.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/16 13:36

S5	10134	719/310,312,316.ccls. or 709/201-203,217-218.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/16 13:36
S6	39	(719/310,312,316.ccls. or 709/201-203,217-218.ccls.) and (interface same relationship same (sturcute or hash or table))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2004/08/16 14:42
S7	1	("6,263,491").PN.	USPAT; USOCR	OR	OFF	2004/08/16 14:53
S8	1	("6,381,628").PN.	USPAT; USOCR	OR	OFF	2004/08/16 14:56
S9	1	("6,381,735").PN.	USPAT; USOCR	OR	OFF	2004/08/16 14:58
S10	0	COGIN and hunt and microsoft	USPAT	OR	OFF	2004/08/16 14:58
S11	0	COGIN and hunt and microsoft	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/16 14:58
S12	0	DCOM and galen-hunt\$.as. and microsoft	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/16 14:59
S13	0	DCOM and galen-hunt\$.in. and microsoft.as.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/16 14:59
S14	26	hunt\$.in. and microsoft.as.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/16 14:59
S15	8	hunt\$.in. and microsoft.as. and DCOM and ADPS	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/08/16 15:00
S16	1	("6463508").PN.	USPAT; USOCR	OR	OFF	2004/08/18 09:24